

GO•GO

ELITE TRAVELLER® **2**



PRIDE®
MOBILITY
LIVE YOUR BEST®

Tel: +31 (0)85-0408630 . Fax: +31 (0)85-0430039
pridemobility.eu . info@prideeurope.nl

The Go Go® Elite Traveller 2, a stable travel scooter, effortlessly keeps up with your active lifestyle. Easy disassembly, convenient storage, and versatile mobility make it the ideal companion for every day.



8" solid tires



compact, foldable seat



Sleek design

Specifications

Weight capacity	136 kg
Speed	Up to 6,8 km/h
Range per charge	Up to 22,1 km
Turning radius	3W: 790 mm 4W: 940 mm
Ground clearance	3W: 32 mm 4W: 34 mm
Length	3W: 939 - 961 mm 4W: 1000 - 1036 mm
Width	494 mm
Tires	3W: 8" solid, front and rear 4W: 7" solid front, 8" solid rear
Drive	Rear-wheel drive, sealed transaxle, 24-volt DC motor
Weight without batteries	3W: 35,3 kg 4W: 37,7 kg
Batteries	Type: Two 12-volt, sealed lead-acid, non-spillable deep-cycle Size: 18 Ah
More?	Download our specifications sheet on the website

Features

- Zero Turn Technology
- Compact, foldable seat
- 2 Amp off-board charger
- 8" Solid tires
- With feather-touch disassembly and a weight capacity of 136 kg, it ensures a seamless and efficient travel experience.

1. Varies with user weight, terrain type, battery amp-hour (AH), battery charge, battery condition, and tire condition. This specification can be subject to a variance of (+ or -) 10%.
2. Due to manufacturing tolerances and continual product improvement, this specification can be subject to a variance of (+ or -) 3%.
3. Battery weight may vary based on battery manufacturer.
4. Includes standard seat weight.

NOTE: All specifications subject to change without notice. The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice. Speed and range vary with user weight, terrain type, battery charge, battery condition and tire pressure. Due to manufacturing tolerances and continual product improvement, length, width, turning radius and ground clearance can be subject to variance of + or - 3%. Dimensions listed are for power base only. Overall measurements will vary based on seating and accessory selections.

Theoretical range is calculated under test conditions in accordance with European standards. Actual range in normal use will depend on many factors, including the condition of the vehicle and its batteries, the weight of the driver, correct tyre pressures, ambient temperature, and the gradient and surface of the road or pavement. Dimensions listed are for power base only. Overall measurements will vary based on seating and accessory selections.

Available colors

